



KERALA AGRICULTURAL UNIVERSITY

College of Climate Change and Environmental Science,

Vellanikkara, Thrissur Dist. Pin:680656

Phone: Dean:04872438691 Office: 04872438692, Email: ccces@kau.in

Website: <http://www.kau.in/tenders>

No: CCCES/146/2025-A2 (DP)

Dtd. 17.11.2025

TENDER NOTICE

Sealed tenders are invited from competent firms for the supply and installation of "**Smart Metallic Digital Podium**" at College of Climate Change and Environmental Science with specifications as detailed below. The tender will be accepted up to **2 PM on 28.11.2025**. The tenders received after the stipulated time will not be considered at any circumstances. The received tenders will be opened at **2.30 PM on the same day**.

Sl. No.	Smart Metallic Digital Podium	Quantity
	1. Touch/Tablet Monitor Size: 21.5 inches Resolution: 1920 × 1080 pixels Brightness: 200-250 cd/m ² Contrast Ratio: 1000:1 or higher Viewing Angle: 170° (H) × 178° (V) Display Color: 16.7M Touch Technology: Capacitive Connectivity: HDMI / VGA / USB / DVI-D Tilt: Up to 70° (motorized) Should be OEM (HP, DELL, LENOVO, ACER)	1
	2. Podium Body Material: Premium quality Metallic with powder-coated finish Dimensions: Presenter side: W 670 × D 730 × H 1060 mm Audience side: W 670 × D 730 × H 1190 mm Structure: Modular cabinet to house multimedia AV equipment Top Tray: 655 × 630 mm Front Logo Plate: 560 × 410 mm Mobility: Soft wheels with brakes Cooling: In-built cooling fans Security: All doors, trays, drawers lockable Service Doors: Front and rear access Cable Management: Wire managers on both sides 19" Standard Equipment Rack with adjustable shelves Scanner/Document Camera Drawer: 440 × 560 × 150 mm Keyboard & Mouse Drawer	
	3. Ports on top 2 x USB, 2 x XLR Ports at bottom 1 x HDMI In & Out, VGA In & Out, Audio In & Out, Gigabit LAN, Power Socket with On/Off switch	
	4. HDMI Multimedia Controller VGA: 3 In / 1 Out HDMI: 3 In / 4 Out Microphone Interface: 1 Channel Audio Matrix: 3 In / 01 Out Video: Composite 2 In / 2 Out	

	Volume Control: Up / Down Projector Control: On/Off Screen Control: Up/Down PC Power Control: On/Off 3.5 mm Audio Input: 1 Channel RS232 In/Out: 2 Channels (Projector & Interactive Board Control) LAN In/Out: 1 Channel Power: AC 100–250 V USB: 1 × USB 2.0, 1 × USB 3.0 Switching: Auto switching between PC, Laptop, Visualizer, DVD, TV IR Control support	
	5. Gooseneck Microphone Polar Pattern: Cardioid Frequency Response: 50–16,000 Hz Length: 457–508 mm Sensitivity: –33 dB / –45 dB Should integrate with existing AV systems	
	6. Amplifier Output Power: 120 W Impedance: 4Ω / 8Ω / 16Ω / 70V / 100V Frequency Response: 50 Hz–18 KHz Tone Control: ±10 dB Inputs: 4 Mic/Line + 1 BGM Distortion: <1% Phantom Power needed Should integrate with existing AV systems	
	7. Computer System i7 16 GB RAM 512 GB SSD Genuine Windows 11 Genuine Microsoft Office 2024 Keyboard & Mouse Should be OEM (HP, DELL, LENOVO, ACER)	
	8. Power Distributor AC Power In Direct power supply with 32A MCB. AC Power Out 8 Out (PC, Monitor, Amplifier, Wireless, Mic, Visualizer, Projector & Laptop) with 5 Pin socket 5A, 230V AC.	
	9. Speaker System Power: 2×20 W / 2×30 W / 2×40 W Frequency Range: 90 Hz–18.5 KHz Impedance: 8Ω / 100V SPL: 92–105 dB	
	10. Additional Requirements Provision to install speech prompter Upgradable system architecture Should integrate with existing AV systems Warranty: Minimum 3 year onsite Supplier must provide installation & demonstration	

Cost of Tender Forms: - 0.2% of the quoted amount rounded to the nearest multiple of 100, subject to a minimum of Rs.400/- and maximum of Rs. 1500 + GST (As applicable)

Last date of receipt of tender - 28.11.2025 @ 2.00PM

Date and time of opening tender - 28.11.2025 @ 2.30PM

Terms and Conditions: -

1. Tender should be submitted in the prescribed forms which can be downloaded from the website www.kau.edu/tenders. The cost of the tender forms will not be refunded under any circumstances.
2. The sealed cover containing the tender should be superscribed supply of "**Smart Metallic Digital Podium**" (along with the notification number) and addressed to the Dean, College of Climate Change and Environmental Science, Vellanikkara, KAU.
3. Tender should be accompanied by EMD (1% of the quoted amount and this is subject to a minimum of Rs.,1500/-) and Tender fee @ 0.2% +GST 18% of quoted amount by way of three crossed Demand Drafts separately (1. Tender fee 2.EMD) drawn in favour of The Dean, College of Climate Change and Environmental Science, Vellanikkara, KAU, payable at the State Bank of India, KAU branch, Vellanikkara.
4. Payable at the State Bank of India, KAU Branch Vellanikkara. Late and incomplete tenders and tenders without EMI), tender fee and agreement will not be accepted. Firms which are exempted from payment of EMD) should furnish copy of the current valid certificate from the Store Purchase Department, Government of Kerala.
5. The tender should be accompanied by an agreement in Kerala Stamp Paper worth Rs. 200/- (Rupees Two Hundred only) and format can be downloaded from the above website. The successful tenderer should execute an agreement in Kerala Stamp Paper worth Rs. 200/- (Rupees Two Hundred only) and should furnish a security deposit of 5% of the cost of the items quoted in the form of demand draft term deposit/ bank guarantee/demand draft drawn in favour of the Dean, College of Climate Change and Environmental Science at State Bank KAU, Vellanikkara when directed from this office. The format of the agreement can be downloaded from the above website.
6. The price must be inclusive of all taxes and transportation charges and other charges, if any.
7. The cost of the item, tax and other charges should be stated separately
8. The warranty of "Smart Metallic Digital Podium" should be specified in the quotation separately. The lowest rate quoted, if reasonable will be accepted.
9. The exact specification, details of make, model, name of manufacturer, warranty details etc., of the item must be clearly specified.
10. OEM should have service center in India for last 10 years. Attested proof document of Warranty.
11. Tender Specific OEM Authorization and OEM Datasheet/Brochure is mandatory for the Smart Metallic Digital Podium else the bid will not be considered.
12. If any Bandh/strike/ any unexpected holidays occur on the date of opening of tender, the tender will be opened at the same time on the next working day. The decision of the undersigned in accepting the tenders shall be final and binding.
13. Withdrawal of tenders after its acceptance of failure to supply the equipment or not according to the specification will entail cancellation of the tender.
14. The supply order will be issued on the acceptance of the tender and the invoice should be addressed to the Dean, College of Climate Change and Environmental Science, Vellanikkara. The payment will be effected only after satisfactory supply of the item.
15. The successful tenderer should supply and install the item to College of Climate Change and Environmental Science, Vellanikkara, KAU. within one week from the date of the receipt of the supply order.

16 The Dean, College of Climate Change and Environmental Science, Vellanikkara, reserves the right to remove the name of the defaulted suppliers from the list of suppliers permanently or for a specific period.

17. The Dean, College of Climate Change and Environmental Science, Vellanikkara, has the right to accept or reject any or all of the offers without assigning any reason.

Signed by
(Sd/-)
DEAN)

To,

1. KAU Web site
2. Notice board